

QUICK MANUAL RNS 315

1.Introduction

The JRDAB-01 device is a DAB/DAB+ radio receiver. It was designed to receive digital radio services in cars equipped with digital sound system. JRDAB-01 support a following service function which allow to keep track of stations while driving.

2.Start up

Watch out!

The device is controlled by buttons an touch panel from RNS315 radio receiver.

The device starts up after sequential pressing of buttons MEDIA on radio control panel ❶ selection MDI option ❷ and approval by rotary-knob ❸.



pic.1

3.Scanning

WATCH OUT!

In first start up of the device it is recommended to run a scan function to add new services.

To startup a scan of new services process it recommended to select option “UP” using touch panel **1** , buttons or rotary-knob **2**. Next step is select a “Scan” option pic.3. After end of scan process radio will display a list of available radio stations pic.4.



pic.2



pic.3

2

4.Selection of radio station

Selection and change of radio station is done by using of central rotary-knob, touch panel or by function buttons from steering wheel. Selection of “Play” options **1** display current informations of listened station.



pic.4



pic.5

5.TA – Traffic Announcement

To start the "Traffic Announcement" function, press and hold the **1** button for more than 2 seconds. The screen will display the name of the radio station and the word "TA" informing about the active Traffic Announcement.

To disable the "Traffic Announcement" function, press and hold the **2** button for more than 2 seconds.

